Neuroscience Letters, 78 (1987) 355–358
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Addae, J.I. and Stone, T.W., Involvement of *N*-methyl-D-aspartate receptors in the augmenting response in rat neocortex, 323
Adeline, J., see Villard, M.-F., 187
Alafaci, C., see Cowen, T., 121
Alger, B.E., see McCarren, M., 307
Amano, T., see Ogura, A., 69
Andersson, P., see Hagberg, H., 311
Aoyagi, K., see Katafuchi, T., 301
Arata, A., see Onimaru, H., 151
Armengaud, C., Leitner, L.-M. and Sutra, J.F., Changes in monoamine content of the rabbit carotid body following prolonged electrical stimulation of the carotid sinus nerve, 46
Aronstam, R.S., Smith, M.D. and Buccafusco, J.J., Clonidine prevents the short-term down regulation of muscarinic receptors in mouse brain induced by the acetylcholinesterase inhibitor soman, 107
Astier, B., Kitahama, K., Denoroy, L., Jouvet, M. and Renaud, B., Immunohistochemical evidence for the adrenergic medullary longitudinal bundle as a major ascending pathway to the hypothalamus, 241

Barasi, S. and Clatworthy, A., The effects of intrathecally applied noradrenaline and 5-hydroxytryptamine on spinal nocifensive reflexes and the rostral transmission of noxious information to the thalamus in the rat, 328
Battaner, E., see Guerra, M., 97
Blaha, C.D. and Lane, R.F., Chronic treatment with classical and atypical antipsychotic drugs differentially decreases dopamine release in striatum and nucleus accumbens in vivo, 199
Bonnett, J.-J., see Chagraoui, A., 175
Bower, A.J. and Payne, J.N., An ipsilateral olivocerebellar pathway in the normal neonatal rat demonstrated by the retrograde transport of True blue, 138
Brayden, J.E., Atropine potentiates neurogenic vasodilatation of the feline infraorbital artery: possible mechanisms, 343
Brion, J.P., Fraser, H., Flament-Durand, J. and Dickinson, A.G., Amyloid scrapie plaques in mice, and Alzheimer senile plaques, share common antigens with tau, a microtubule-associated protein, 113
Brown, J.R., see Hunter, J.C., 12
Buccafusco, J.J., see Aronstam, R.S., 107
Bulloch, A.G.M., see O'Beirne, M., 265
Burnstock, G., see Cowen, T., 121

Chagraoui, A., Bonnett, J.-J., Protais, P. and Costentin, J., In vivo binding of [3H]GBR 12783, a selective dopamine uptake inhibitor, in mouse striatum, 175
Chan-Palay, V., see Köhler, C., 1
Chavkin, C., see Swearengen, E., 80
Chéramy, A., see Romo, R., 57
Cherubini, E. and Lanfumey, L., A ouabain-sensitive hyperpolarization in rat striatal neurones in vitro, 338
Chesselet, M.F., see Romo, R., 57
Clatworthy, A., see Barasi, S., 328
Cole, G.J. and Schachner, M., Localization of the L2 monoclonal antibody binding site on chicken neural cell adhesion molecule (NCAM) and evidence for its role in NCAM-mediated cell adhesion, 227
Costentin, J., see Chagraoui, A., 175
Cowen, T., Alafaci, C., Crockard, H.A. and Burnstock, G., Origin and postnatal development of nerves showing 5-hydroxytryptamine-like immunoreactivity supplying major cerebral arteries of the rat, 121
Crapon de Caprona, M.D., see Fritzsch, B., 259
Crockard, H.A., see Cowen, T., 121

Davies, S., see Köhler, C., 1
Del Castillo, A.R., see Guerra, M., 97
Denoroy, L., see Astier, B., 241
Dickinson, A.G., see Brion, J.P., 113
Drucker-Colín, see Prospéro-García, 205
Dux, E., Mies, G., Hossmann, K.-A. and Siklós, L., Calcium in the mitochondria following brief ischemia of gerbil brain, 295

0304-3940/87/$ 03.50 © 1987 Elsevier Scientific Publishers Ireland Ltd.

Eriksson, L.G., see Köhler, C., 1
Eugène, D., Fast non-cholinergic depolarizing postsynaptic potentials in neurons of rat superior cervical ganglia, 51

Ferraro, G., see Sabatino, M., 75
Fitzgerald, N.M., King, A.E., Thompson, S.W.N. and Woolf, C.J., The postnatal development of the ventral root reflex in the rat; a comparative in vivo and in vitro study, 41
Flament-Durand, J., see Brion, J.P. 113
Formenti, A., see Palestini, M., 161
Fraser, H., see Brion, J.P., 113
Fritzsch, B., Wilm, C. and Crapon de Caprona, M.D., Ipsilateral retinofugal and retinopetal projections in normal and monocular cichlid fish, 259

Gardiner, P.F., see Jasmin, B.J., 156
Gaudry-Talarmain, Y.M., see Romo, R., 57
Geneser, F.A., see Zimmer, J., 253
Glowinski, J., see Romo, R., 57
Godehau, G., see Romo, R., 57
Gola, M., see Watanabe, K., 211
Guerra, M., Del Castillo, A.R., Battaner, E. and Mas, M., Androgens stimulate preoptic area Na^+, K^+-ATPase activity in male rats, 97

Haas, H.L. and Rose, G.M., Noradrenaline blocks potassium conductance in rat dentate granule cells in vitro, 171
Hagberg, H., Andersson, P., Kjellmer, I., Thiringer, K. and Thordstein, M., Extracellular overflow of glutamate, aspartate, GABA and taurine in the cortex and basal ganglia of fetal lambs during hypoxia-ischemia, 311
Hanley, M.R., see Patterson, S.I., 17
Hanley, M.R., see Probert, L., 132
Hattori, T., see Takada, M., 145
Hedlund, B. and Ögren, S.-O., Chlormethiazole acts on chloride channels in cultured spinal cord neurons, 217
Homma, I., see Onimaru, H., 151
Hori, Y. and Watanabe, S., Morphine-sensitive late components of the flexion reflex in the neonatal rat, 91
Hossmann, K.-A., see Dux, E., 295
Hunter, J.C., Kilpatrick, G.J. and Brown, J.R., Pharmacological analysis of ^{125}I-Bolton and Hunter labelled eledoisin binding sites in rat spinal cords by quantitative autoradiography, 12

Iijima, T., see Ogura, A., 69
Israël, M., see Romo, R., 57

Janots, D., see Villard, M.-F., 187
Jasmin, B.J., Lavoie, P.-A. and Gardiner, P.F., Fast axonal transport of acetylcholinesterase in rat sciatic motoneurons is enhanced following prolonged daily running, but not following swimming, 156
Javitt, D.C., Jotkowitz, A., Sircar, R. and Zukin, S.R., Non-competitive regulation of phencyclidine/σ-receptors by the *N*-methyl-D-aspartate receptor antagonist D-(−)-2-amino-5-phosphonovaleric acid, 193
Jockusch, H., see Mehrke, G., 247
Johnson, K.M., see Snell, L.D., 333
Jones, S.M., see Snell, L.D., 333
Jotkowitz, A., see Javitt, D.C., 193
Jouvet, M., see Astier, B., 241

Kapp, B.S., see Pascoe, J.P., 288
Katafuchi, T., Oomura, Y and Aoyagi, K., Single neuron activity of rat hypothalamic paraventricular nucleus during body suspension, 301
Kerdelhué, B., see Villard, M.-F., 187
Kilpatrick, G.J., see Hunter, J.C., 12
King, A.E., see Fitzgerald, N.M., 41
Kitahama, K., see Astier, B., 241
Kjellmer, I., see Hagberg, H., 311
Kudo, Y., see Ogura, A., 69
Kummer, W., Galanin- and neuropeptide Y-like immunoreactivities coexist in paravertebral sympathetic neurones of the cat, 127
Köhler, C., Eriksson, L.G., Davies, S. and Chan-Palay, V., Co-localization of neuropeptide tyrosine and somatostatin immunoreactivity in neurons of individual subfields of the rat hippocampal region, 1

Ladosky, W., see Villard, M.-F., 187
La Grutta, V., see Sabatino, M., 75
Lane, R.F., see Blaha, C.D., 199
Lanfumey, L., see Cherubini, E., 338
Lavoie, P.-A., see Jasmin, B.J., 156
Lees, G.J., Effects of ketamine on the in vivo toxicity of quinolinate and *N*-methyl-D-aspartate in the rat hippocampus, 180
Leitner, L.-M., see Armengaud, C., 46

Leviel, V., see Romo, R., 57
Lenoir, V., see Villard, M.-F., 187
Li, Z.K., see Takada, M., 145

Macdonald, R.L., see Werz, M.A., 101
MacVicar, B.A., see O'Beirne, M., 265
Maggi, C.A., Santicioli, P., Theodorsson-Norheim, E. and Meli, A., Immunoblockade of response to capsaicin in the rat vas deferens: evidence for the involvement of endogenous calcitonin gene-related peptide, 63
Mancia, M., see Palestini, M., 161
Mariotti, M., see Palestini, M., 161
Mas, M., see Guerra, M., 97
Matsushima, R., see Satoda, T., 283
McCarren, M. and Alger, B.E., Papain effects on rat hippocampal neurons in the slice preparation, 307
Mehrke, G., Jockusch, H. and Schachner, M., Development of mammalian nerve–muscle synapses in culture: lack of interference by antibodies to the neural cell adhesion molecule N-CAM and its L2/HNK-1 carbohydrate epitope, 247
Meli, A., see Maggi, C.A., 63
Mies, G., see Dux, E., 295
Miyashita, O., see Wachi, M., 222
Mizuno, N., see Satoda, T., 283
Mollgard, K., Stagaard, M. and Saunders, N.R., Cellular distribution of transferrin immunoreactivity in the developing rat brain, 35
Morris, R., see Ositelu, D.O., 271

Northcutt, R.G., see Smeets, W.J.A.J., 277

O'Beirne, M., Bulloch, A.G.M. and MacVicar, B.A., Dye and electrotonic coupling between cultured hippocampal neurons, 265
Ögren, S.-O., see Hedlund, B., 217
Ogura, A., Iijima, T., Amano, T. and Kudo, Y., Optical monitoring of excitatory synaptic activity between cultured hippocampal neurons by a multi-site Ca^{2+} fluorometry, 69
Okuda, M., see Wachi, M., 222
Olianas, M.C. and Onali, P., Supersensitivity of striatal D_2 dopamine receptors mediating inhibition of adenylate cyclase and stimulation of guanosine triphosphatase following chronic administration of haloperidol in mice, 349
Onali, P., see Olianas, M.C., 349
Onimaru, H., Arata, A. and Homma, I., Localization of respiratory rhythm-generating neurons in the medulla of brainstem–spinal cord preparations from newborn rats, 151
Oomura, Y, see Katafuchi, T., 301
Ositelu, D.O., Morris, R. and Vaillant, C., Innervation of facial skin but not masticatory muscles or the tongue by trigeminal primary afferents containing somatostatin in the rat, 271
Ott, T., see Prospéro-García, 205

Palisses, R., see Viala, D., 318
Palestini, M., Mariotti, M., Velasco, J.M., Formenti, A. and Mancia, M., Medialis dorsalis thalamic unitary response to tooth pulp stimulation and its conditioning by brainstem and limbic activation, 161
Pascoe, J.P. and Kapp, B.S., Some electrophysiological characteristics of insular cortex efferents to the amygdaloid central nucleus in awake rabbits, 288
Patterson, S.I. and Hanley, M.R., Autoradiographic evidence for β-adrenergic receptors on capsaicin-sensitive primary afferent terminals in rat spinal cord, 17
Payne, J.N., see Bower, A.J., 138
Pearson, S.J., see Reynolds, G.P., 233
Persegol, L., see Viala, D., 318
Probert, L. and Hanley, M.R., The immunocytochemical localisation of 'substance-P-degrading enzyme' within the rat spinal cord, 132
Prospéro-García, Ott, T. and Drucker-Colín, Cerebroventricular infusion of cholecystokinin (CCK-8) restores REM sleep in parachlorophenylalanine (PCPA)-pretreated cats, 205
Protais, P., see Chagraoui, A., 175

Reiner, A., A VIP-like peptide co-occurs with substance P and enkephalin in cholinergic preganglionic terminals of the avian ciliary ganglion, 22
Renaud, B., see Astier, B., 241
Reynolds, G.P. and Pearson, S.J., Decreased glutamic acid and increased 5-hydroxytryptamine in Huntington's disease brain, 233
Romo, R., Gaudry-Talarmain, Y.M., Chéramy, A., Godehau, G., Leviel, V., Chesselet, M.F., Glowinski, J. and Israël, M., Different effects of electrical stimulation of the mesen-

cephalic and pontine reticular formation on the release of dopamine and acetylcholine in the cat caudate nucleus, 57
Rose, G.M., see Haas, H.L., 171
Rüdel, R., see Ruppersberg, J.P., 166
Ruppersberg, J.P., Schure, A. and Rüdel, R., Inactivation of TTX-sensitive and TTX-insensitive sodium channels of rat myoballs, 166

Sabatino, M., Vella, N., Ferraro, G. and La Grutta, V., An electrophysiological study of habenular influence on hippocampus, 75
Santicioli, P., see Maggi, C.A., 63
Satoda, T., Takahashi, O., Tashiro, T., Matsushima, R., Uemura-Sumi, M. and Mizuno, N., Representation of the main branches of the facial nerve within the facial nucleus of the Japanese monkey *(Macaca fuscata)*, 283
Saunders, N.R., see Mollgard, K., 35
Schachner, M., see Cole, G.J., 227
Schachner, M., see Mehrke, G., 247
Schnitzer, J., Retinal astrocytes: their restriction to vascularized parts of the mammalian retina, 29
Scholler, R., see Villard, M.-F., 187
Schünzel, G., see Wolf, G., 7
Schure, A., see Ruppersberg, J.P., 166
Schwartzkroin, P.A., see Taube, J.S., 85
Siklós, see Dux, E., 295
Sircar, R., see Javitt, D.C., 193
Smeets, W.J.A.J. and Northcutt, R.G., At least one thalamotelencephalic pathway in cartilaginous fishes projects to the medial pallium, 277
Smith, M.D., see Aronstam, R.S., 107
Snell, L.D., Inhibition of *N*-methyl-D-aspartate-induced hippocampal [^{3}H]norepinephrine release by phencyclidine is dependent on potassium concentration, 333
Stagaard, M., see Mollgard, K., 35
Stone, T.W., see Addae, J.I., 323
Sutra, J.F., see Armengaud, C., 46
Swearengen, E. and Chavkin, C., NMDA receptor antagonist D-APV depresses excitatory activity produced by normorphine in rat hippocampal slices, 80

Takada, M., Li, Z.K. and Hattori, T., Intracerebral MPTP injections in the rat cause cell loss in the substantia nigra, ventral tegmental area and dorsal raphe, 145
Takahashi, O., see Satoda, T., 283
Tashiro, T., see Satoda, T., 283
Taube, J.S. and Schwartzkroin, P.A., Hyperpolarizing responses to application of glutamate in hippocampal CA_1 pyramidal neurons, 85
Theodorsson-Norheim, E., see Maggi, C.A., 63
Thiringer, K., see Hagberg, H., 311
Thompson, S.W.N., see Fitzgerald, N.M., 41
Thordstein, M., see Hagberg, H., 311
Togashi, S., see Wachi, M., 222

Uemura-Sumi, M., see Satoda, T., 283

Vaillant, C., see Ositelu, D.O., 271
Velasco, J.M., see Palestini, M., 161
Vella, N., see Sabatino, M., 75
Viala, D., Viala, G., Persegol, L. and Palisses, R., Changeover from alternate to synhronous bilateral pattern of the phrenic bursts entrained by fictive locomotion in the spinal rabbit preparation, 318
Viala, G., see Viala, D., 318
Villard, M.-F., Ladosky, W., Janots, D., Lenoir, V., Adeline, J., Kerdelhué, B. and Scholler, R., Inhibition of the preovulatory LH surge after a catecholestrogen (2-hydroxyestrone) antiserum injection in the third ventricle of cycling female rats, 187

Wachi, M., Okuda, M., Togashi, S., Miyashita, O. and Wakahoi, T., Effects of methamphetamine administration on brain neurotensin-like immunoreactivity in rats, 222
Wakahoi, T., see Wachi, M., 222
Watanabe, K. and Gola, M., Forskolin interaction with voltage-dependent K channels in *Helix* is not mediated by cyclic nucleotides, 211
Watanabe, S., see Hori, Y., 91
Werz, M.A. and Macdonald, R.L., Dual actions of phorbol esters to decrease calcium and potassium conductances of mouse neurons, 101
Wilm, C., see Fritzsch, B., 259
Wolf, G. and Schünzel, G., Glutamate dehydrogenase in aminoacidergic structures of the postnatally developing rat cerebellum, 7
Woolf, C.J., see Fitzgerald, N.M., 41

Zimmer, J. and Geneser, F.A., Difference in monoamine oxidase B activity between C57 black and albino mouse strains may explain differential effects of the neurotoxin MPTP, 253
Zukin, S.R., see Javitt, D.C., 193